

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S149	389	branch with instruction with insert\$4 and @ad<="20011220"	US-PGPUB; USPAT	OR	ON	2005/05/05 12:43
S150	35	branch with instruction with insert\$4 and @ad<="20011220" and loop with optimiz\$6	US-PGPUB; USPAT	OR	ON	2005/05/05 15:17
S155	1	entry with point with ((call adj itself) recursive) and @ad<="20011220" and loop with optimiz\$6	US-PGPUB; USPAT	OR	ON	2005/05/05 15:20
S156	3029	recursive with (loop function code program) and @ad<="20011220"	US-PGPUB; USPAT	OR	ON	2005/05/05 15:20
S157	82	recursive with (loop function code program) and @ad<="20011220" and (multiple two) with (label entry adj point)	US-PGPUB; USPAT	OR	ON	2005/05/05 15:21
S159	1	recursive with (loop function code program) and @ad<="20011220" and (multiple two additional) with (label entry adj point) with insert\$4	US-PGPUB; USPAT	OR	ON	2005/05/05 15:22
S160	33	recursive with (loop function code program) and @ad<="20011220" and (label entry adj point) with insert\$4	US-PGPUB; USPAT	OR	ON	2005/05/05 16:21
S161	61	recursive with (label entry adj point) and @ad<="20011220"	US-PGPUB; USPAT	OR	ON	2005/05/05 16:21
S162	34	recursive with (label entry adj point) and @ad<="20011220" and loop	US-PGPUB; USPAT	OR	ON	2005/05/05 16:21
S163	12	insert\$4 with (entry label branch jump) with recursive	USPAT	OR	OFF	2005/05/05 16:34
S164	358	insert\$4 with (entry label branch jump) with loop and @ad<="20011220"	US-PGPUB; USPAT	OR	ON	2005/05/05 16:35
S165	79	insert\$4 with (entry label branch jump) with loop and @ad<="20011220" and optimiz\$6	US-PGPUB; USPAT	OR	ON	2005/05/05 16:35
S167	6	insert\$4 with (entry label branch jump) with loop and @ad<="20011220" and optimiz\$6 and recursive	US-PGPUB; USPAT	OR	ON	2005/05/05 16:56
S168	7	insert\$4 with (access entry label branch jump) with loop and @ad<="20011220" and optimiz\$6 and recursive	US-PGPUB; USPAT	OR	ON	2005/05/05 16:58

S16 9	413	insert\$4 with (access entry label branch jump) and @ad<="20011220" and optimiz\$6 and recursive	US-PGPUB; USPAT	OR	ON	2005/05/05 16:58
S17 0	9	insert\$4 with (access entry label branch jump) and @ad<="20011220" and optimiz\$6 and recursive with loop	US-PGPUB; USPAT	OR	ON	2005/05/05 16:58
S17 1	211	717/151.ccls. and @ad<="20011220"	USPAT	OR	OFF	2005/05/05 17:04
S17 2	9	717/151.ccls. and @ad<="20011220" and insert\$4 with (entry label internal access)	USPAT	OR	OFF	2005/05/05 18:08
S17 3	5701	ogawa.in.	USPAT	OR	OFF	2005/05/05 18:09
S17 4	459	ogawa.in. and matsushita.as.	USPAT	OR	OFF	2005/05/05 18:09
S17 5	2	ogawa.in. and matsushita.as. and "717"/\$.ccls.	USPAT	OR	OFF	2005/05/05 18:11
S17 6	3	ogawa.in. and matsushita.as. and "717"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/05/05 18:14
S17 7	480	@ad<="20011220" and "717"/\$.ccls. and (add\$4 insert\$4) with (branch jump entry access label) with (point instruction) and loop	US-PGPUB; USPAT	OR	ON	2005/05/05 18:15
S17 8	46	@ad<="20011220" and "717"/\$.ccls. and (add\$4 insert\$4) with (branch jump entry access label) with (point instruction) and loop with invariant	US-PGPUB; USPAT	OR	ON	2005/05/05 18:30
S17 9	58	@ad<="20011220" and "717"/\$.ccls. and (add\$4 insert\$4) with (entry access label) and loop with invariant	US-PGPUB; USPAT	OR	ON	2005/05/05 18:31
S18 0	56	@ad<="20011220" and "717"/\$.ccls. and (add\$4 insert\$4) with (entry access label) and loop with invariant and optimiz\$6 and compil\$3	US-PGPUB; USPAT	OR	ON	2005/05/05 18:37
S18 1	35	@ad<="20011220" and "717"/\$.ccls. and (add\$3 insert\$4) with (entry access label) and loop with invariant and optimiz\$6 and compil\$3	US-PGPUB; USPAT	OR	ON	2005/05/05 19:04
S18 2	2	@ad<="20011220" and "717"/\$.ccls. and multiple with (loop block segment) with label	US-PGPUB; USPAT	OR	ON	2005/05/05 18:54

S18 3	6	("5842017" "5946486" "5970245" "6026235" "6233729" "6249907").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/05 18:56
S18 4	40	@ad<="20011220" and "717"/\$. cccls. and (add\$3 insert\$4) with (branch jump) and loop with invariant and optimiz\$6 and compil\$3	US-PGPUB; USPAT	OR	ON	2005/05/06 15:57
S18 5	20	S184 not S181	US-PGPUB; USPAT	OR	ON	2005/05/05 19:05
S18 7	11	("5511198").URPN.	USPAT	OR	OFF	2005/05/06 11:03
S18 8	71	optimiz\$5 with recurs\$4 with (function loop)	US-PGPUB; USPAT	OR	ON	2005/05/06 11:04
S18 9	49	optimiz\$5 with recurs\$4 with (function loop) and @ad<="20011220"	US-PGPUB; USPAT	OR	ON	2005/05/06 11:35
S19 0	1	optimiz\$5 with recurs\$4 with (function loop) and @ad<="20011220" and loop with distribution	US-PGPUB; USPAT	OR	ON	2005/05/06 11:36
S19 1	3578	@ad<="20011220" and loop with distribution	US-PGPUB; USPAT	OR	ON	2005/05/06 11:36
S19 2	196	@ad<="20011220" and loop adj distribution	US-PGPUB; USPAT	OR	ON	2005/05/06 11:36
S19 5	148	@ad<="20011220" and loop adj distribution and (multiple several)	US-PGPUB; USPAT	OR	ON	2005/05/06 14:06
S19 6	71	@ad<="20011220" and loop adj distribution and (multiple several) with (block segment loop region portion)	US-PGPUB; USPAT	OR	ON	2005/05/06 11:38
S19 7	8	("4642765" "5293631" "5361354" "5586325" "5835701" "5953531" "6014723" "6076141").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/06 12:26
S19 8	6	("4656582" "5193180" "5471593" "5535393" "5659753" "5713010").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/06 12:32
S19 9	7	("5953531").URPN.	USPAT	OR	OFF	2005/05/06 12:58
S20 0	13286	@ad<="20011220" and loop near3 (block\$3 segment\$4) and (multiple several)	US-PGPUB; USPAT	OR	ON	2005/05/06 14:07
S20 1	262	@ad<="20011220" and loop near3 (block\$3 segment\$4) and (multiple several) and compiler with optimiz\$6	US-PGPUB; USPAT	OR	ON	2005/05/06 14:07

S20 2	117	@ad<="20011220" and loop near3 (block\$3 segment\$4) and (multiple several) with loop and compiler with optimiz\$6	US-PGPUB; USPAT	OR	ON	2005/05/06 14:24
S20 3	15	@ad<="20011220" and loop near3 (block\$3 segment\$4) with (multiple several) with loop and compiler with optimiz\$6	US-PGPUB; USPAT	OR	ON	2005/05/06 14:08
S20 4	30	@ad<="20011220" and loop near3 (block\$3 segment\$4) and (multiple several) with loop and compiler with optimiz\$6 with execution	US-PGPUB; USPAT	OR	ON	2005/05/06 14:24
S20 5	23	@ad<="20011220" and (prologue with kernel)	US-PGPUB; USPAT	OR	ON	2005/05/06 15:58
S20 7	23	@ad<="20011220" and (prologue with kernel)	US-PGPUB; USPAT	OR	ON	2005/05/06 15:58
S20 8	4	("5202995" "5361354" "5457799" "5596732").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/06 16:10
S20 9	2	tail-call	USPAT	OR	OFF	2005/05/06 16:15